

# BATH SCREEN COLLECTION



# BATH SCREEN COLLECTION

## NEW PRODUCTS



# PERSONALISE YOUR SHOWERING SPACE

Lakes Showering Spaces is one of the UK's longest established showering brands with a strong history and pedigree, having been founded almost 40 years ago.

In that time Lakes has built up an award-winning reputation based on trust, quality and first-class customer service levels.

Because we care.

Down to the finest and often unseen details all Lakes bath screens have been skilfully designed in the UK for the UK market and manufactured to the most stringent quality standards in our own factory.

At Lakes, we consider every element of the showering and bathing space, to make sure it suits the needs of the people using it, from the clarity of the glass to the performance of the screens.

Lake's new and unrivalled Bath Screen Collection now includes even more opportunities to personalise your showering space depending on each individual user bath space need and colour.

## CONTENTS

8mm Twin Panel Hinged	08
8mm Fixed Single Panel	10
6mm Twin Panel Hinged	12
6mm Twin Panel Folding	14
6mm Fixed Single Panel	16
6mm Single Panel Profile Hinged	18
6mm Twin Panel Profile Hinged	20





# LUXURY BATH SCREENS



Lake's wide-ranging collection of completely frameless Bath Screens allows you to create a fabulous design for over bath showering, whether in more spacious or smaller of bathroom spaces.

We have placed particular emphasis on blending great visual styling with outstanding performance.

The bath and bath screen can become a single and seamless design feature, when carefully integrated into the design of your personalised bathroom.

The glass creates an intimate and open feeling; and the function of each Lakes bath screen provides excellent performance when taking an energetic shower over the bath.



# LAKES ALLCLEAR®

The shower is often one of the most in-demand utilities in a busy household, which can make it hard to keep clean and looking good as new. **Lakes AllClear®** advanced glass coating is applied on both sides of the glass as standard and at no extra cost.


The science behind clear glass. The microscopic nanoparticles in the **Lakes AllClear®** innovative bonded coating fills the gaps in the naturally pitted surface of the glass to ensure water, limescale and soap scum simply slides off.

A simple wipe clean with a damp cloth of the specially treated glass keeps it looking like new, so your relaxing shower isn't spoiled by smears and smudges.


Lakes Glass with **AllClear®** is 10 times more scratch resistant than standard glass, so it can handle whatever life throws at it.

# AllClear®


## ICONS



6MM  
TOUGHENED  
SAFETY GLASS



8MM  
TOUGHENED  
SAFETY GLASS




1500MM  
HEIGHT




ALLCLEAR  
GLASS  
PROTECTION



LIFETIME  
GUARANTEE



REVERSIBLE  
DESIGN



COLOUR  
OPTIONS

## QUALITY

Outstanding quality, performance and safety throughout. Lakes also regularly test products above and beyond mandatory standards, allowing us to offer a Lifetime guarantee.

Made from toughened safety glass, conforming to BS EN12150-1 (which is etched onto each piece of glass).

Every bathscreen is tested and comply with BS EN 14428:2015+A1:2018.





# CARBON NEUTRAL & SUSTAINABLE

Lakes has taken steps to be certified Carbon Neutral by changing how we operate as a business. Naturally, we recycle all our product, site and office waste.

Our product packaging is 100% recyclable to offset the carbon emissions produced in the day-to-day running of our business by investing in environmental projects.

Lakes is proud to have been awarded the Carbon Footprint Standard and recognised as a Carbon Neutral Plus organisation.




Carbon  
Neutral  
Organisation

## THE COLOUR IMPACT

The bathroom is one of the most used rooms in the home and the colour scheme accents can make all the difference to the user's happiness and aesthetic appeal of the bathroom.

Timeless silver/chrome, dramatic and bold black, subtle industrial brushed nickel and gun metal or the natural warmth of brushed brass or bronze will assist as you personalise the bathroom design.

Whichever colour – we are confident you'll achieve a great coordinating look with any number of branded brassware and accessory brands. All colours are produced to the most exacting production and quality standards, featuring super strong surfaces using anodising or PVD that are easy to clean, and are stain, UV, chemical and scratch resistant.



Showers are important and integral elements of our lives. So, when it comes to buying or replacing a showering space, it helps to know your choice is supported by the highest quality assurance, customer service and technical support.

Lakes' genuine **Lifetime Guarantee** covers all our shower doors, enclosures, bath screens and spare parts and is also fully transferable. So even if someone moves home, the new owner will still be covered for the lifetime of the product.

If you have a problem with any part of a Lakes product, we will sort it out. quickly. Our efficient customer service support means spare parts will most likely arrive the next day. Another reason why we're recommended by homeowners, stockists and installers across the UK.

For more information on the guarantee for shower trays please contact us directly.



Loyal, regular customers as well as those buying a Lakes product for the first time agree our products are 'excellent'. Lakes rating published via **Trust Pilot** is Excellent.



We are proud members of the **Bathroom Association** and collaborate with many other fellow companies to focus on raising quality standards, improving safety and compliance and sustainability by reducing our environmental impact – all helping shape the future growth of our industry and showering product sector.

# 8mm TWIN PANEL HINGED

Where bathroom features a walk in showering space and a bath requiring a bath creen to match, or the only one showering possibility in your home and is over the bath Lakes has the ideal solution.

Super smooth hinged rotation and clear seals to keep the water in.

## FEATURES:

Height 1500mm

8mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile and PVD hardware

10mm adjustment

Wall profile cover caps as standard

Lifetime warranty

Fully reversible

90° outward door rotation

6 colour finishes

Effortless installation





TWIN PANEL HINGED BATH SCREEN

Description	Height mm	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
<b>NEW</b> Twin Panel Hinged Bath Screen	1500	1000	MWB*	595.00	666.40	702.10

Supplied complete with wall profile cover cap  
Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

FINISH OPTIONS

\* Please add the following codes to the product code when ordering a colour option: Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S)



BLACK (B)

COLOURS



BRUSHED  
BRASS (BRS)





BRUSHED  
NICKEL (N)



GUN METAL  
(GUN)



BRUSHED  
BRONZE (BRZ)



Moving panel seals must be fitted as detailed left.



# 8mm FIXED SINGLE PANEL

The best designs are simple. Lakes 8mm fixed bath screens provide uncluttered and keep the shower water inside the bath.

## FEATURES:

Height 1500mm

8mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile

10mm adjustment

Wall profile cover caps as standard

Lifetime warranty

Fully reversible

6 colour finishes

Effortless installation



## FIXED SINGLE PANEL BATH SCREEN

	Description	Height mm	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
NEW	Fixed Single Panel Bath Screen	1500	800	MWB90-080*	250.00	287.50	295.00
	Supplied complete with wall profile cover cap An optional wall to glass bracing bar can be ordered please see below. Bathscreens are a water deflector only.						
NEW	Optional Wall to Glass Bracing Bar MWB90-080*	-	-	MWBS-BA*	47.27	65.15	82.85

### FINISH OPTIONS

\* Please add the following codes to the product code when ordering a colour option: Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

#### MONOCHROMES



SILVER (S)



BLACK (B)

#### COLOURS



BRUSHED  
BRASS (BRS)






BRUSHED  
NICKEL (N)



GUN METAL  
(GUN)



BRUSHED  
BRONZE (BRZ)





# 6mm TWIN PANEL HINGED

Completely frameless introducing a contemporary uncluttered look for any bathroom project. We have placed particular emphasis on blending great visual styling with outstanding performance.

## FEATURES:

Height 1500mm

6mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile and PVD hardware

15mm adjustment

Concealed wall profile cover caps as standard

Lifetime warranty

90° outward door rotation

Fully reversible

6 colour finishes

Effortless installation



## FIXED SINGLE PANEL BATH SCREEN

Description	Height mm	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
<b>NEW</b> Twin Panel Hinged Bath Screen	1500	900	BSA100*	395.00	442.40	466.10

Supplied complete with wall profile cover cap

Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

### FINISH OPTIONS

\* Please add the following codes to the product code when ordering a colour option: Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

### MONOCHROMES



SILVER (S)



BLACK (B)

### COLOURS



BRUSHED  
BRASS (BRS)





BRUSHED  
NICKEL (N)



GUN METAL  
(GUN)



BRUSHED  
BRONZE (BRZ)



Moving panel seals must be fitted as detailed left.



# 6mm TWIN PANEL FOLDING

This outstanding Folding and Hinged Bath Screen. The screen fully folds flush to the wall into and outside the bath making it the perfect screen where space is at a premium. Blending easy clean lines with unrivalled function.

## FEATURES:

6mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile and PVD hardware

15mm adjustment

Concealed wall profile cover caps as standard

Lifetime warranty

Hinges and folds fully in and out

Fully reversible

3 colour finishes

Effortless installation





## TWIN PANEL FOLDING BATH SCREEN

Description	Height mm	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ BRUSHED BRASS
<b>NEW</b> Twin Panel Folding Bath Screen	1500	900	BSA75*	395.00	442.40	466.10

Supplied complete with bracing bar for the fixed panel and wall profile cover cap  
Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

### FINISH OPTIONS

\* Please add the following codes to the product code when ordering a colour option:  
Silver (S), Black (B), Brushed Brass (BRS)



SILVER (S)




BLACK (B)



BRUSHED  
BRASS (BRS)

Please consult your installer regarding locating shower valves/heads and bath fillers to ensure they do not interfere with the bathscreen operation, when folded back to the wall.



# 6mm FIXED SINGLE PANEL

The best designs are simple. Lakes 6mm fixed bath screens provide uncluttered and keep the shower water inside the bath.

## FEATURES:

Height 1500mm

6mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile

15mm adjustment

Concealed wall profile cover caps as standard

Lifetime warranty

Fully reversible

3 colour finishes

Effortless installation



## FIXED SINGLE PANEL BATH SCREEN

	Description	Height mm	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ BRUSHED BRASS
NEW	Fixed Single Panel Bath Screen	1500	300	BSA90-30*	150.00	168.00	177.00
NEW	Fixed Single Panel Bath Screen	1500	800	BSA90-80*	195.00	218.40	230.10
Supplied complete with wall profile cover cap An optional wall to glass bracing bar can be ordered please see below. Bathscreens are a water deflector only.							
NEW	Optional Wall to Glass Bracing Bar	-	-	BSA100-16*	39.83	42.91	57.23

### FINISH OPTIONS

\* Please add the following codes to the product code when ordering a colour option:  
Silver (S), Black (B), Brushed Brass (BRS)



SILVER (S)




BLACK (B)




BRUSHED  
BRASS (BRS)



### 300MM WIDE PANEL



### 800MM WIDE PANEL





# 6mm SINGLE PANEL PROFILE HINGED

Eye-catching frameless over bath hinged screens – smart square or gorgeous curved design. Smooth 90° in/out and clear seals to keep the water in.

## FEATURES:

Height 1500mm

6mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile and PVD fittings

15mm adjustment

Concealed wall profile cover caps as standard

Lifetime warranty

Fully reversible

90° in/out door rotation

3 colour finishes

Effortless installation



## SINGLE PANEL PROFILE HINGED BATH SCREEN

	Description	Height mm	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ BRUSHED BRASS
NEW	Curved Single Panel Hinged Bath Screen	1500	800	BSA10*	195.43	218.88	230.61
NEW	Square Single Panel Hinged Bath Screen	1500	800	BSA50*	195.43	218.88	230.61

Supplied complete with wall profile cover cap


BSA10 Glass edge radius 70mm

Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

### FINISH OPTIONS

\* Please add the following codes to the product code when ordering a colour option:


Silver (S), Black (B), Brushed Brass (BRS)





SILVER (S)



BLACK (B)



BRUSHED  
BRASS (BRS)



Moving panel seals must be fitted as detailed left.

### CURVED



### SQUARE



# 6mm TWIN PANEL PROFILE HINGED

## FEATURES:

Height 1500mm

6mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile and PVD hardware

15mm adjustment

Concealed wall profile cover caps as standard

Lifetime warranty

Fully reversible

90° in/out door rotation

3 colour finishes

Effortless installation



## TWIN PANEL PROFILE HINGED BATH SCREEN

	Description	Height mm	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ BRUSHED BRASS
NEW	Curved Twin Panel Hinged Bath Screen	1500	950	BSA20*	357.39	400.28	421.72
NEW	Square Twin Panel Hinged Bath Screen	1500	950	BSA60*	357.39	400.28	421.72

Supplied complete with wall profile cover cap

BSA20/60 Glass edge radius 70mm

BSA20/60 fixed panel is 310mm width and complete with inline bracing bar


Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

### FINISH OPTIONS

\* Please add the following codes to the product code

when ordering a colour option:


Silver (S), Black (B), Brushed Brass (BRS)





SILVER (S)



BLACK (B)



BRUSHED  
BRASS (BRS)



Moving panel seals must be fitted as detailed left.

### CURVED



SILVER (S)



BLACK (B)



BRUSHED BRASS (BRS)

### SQUARE



SILVER (S)



BLACK (B)



BRUSHED BRASS (BRS)



## PRODUCT CARE

Caring for your shower door walk in panels, bath screen and shower tray

**To maintain your guarantee, we recommend cleaning as below:**

- Glass: Only use a soft cloth and mild detergent, rinse off thoroughly after cleaning.
- Metal and metallic surfaces: Use only a soft cloth and warm soapy water. Rinse off thoroughly.
- In hard water areas, regular cleaning of your Lakes product will help to prevent the build-up of limescale.
- Limescale can be removed using a 50:50 solution of white vinegar and water.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit/dirt which may have collected over time.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product.
- Do NOT use cleaning products, bleaches, solvents or abrasive pads.
- Non-compliance with these cleaning instructions will invalidate the products guarantee and may cause plated / painted / anodised surfaces/finishes to deteriorate and could adversely affect safe operation of the enclosure.



## AFTER SALES COMMITMENT

At Lakes we are passionately devoted to providing the very best customer service. Lakes excellent customer service is supported by an extensive stock of spare parts across all ranges..

Call our dedicated customer service team on **01684 853870** who will deal with your enquiry and will swiftly dispatch your spares order. Alternatively email **customerservice@lakesuk.com** or head to our website and complete our enquiry form **[www.lakesuk.com/contact-us](http://www.lakesuk.com/contact-us)**

## SPARE PARTS

We have a team of technical experts who can deal with and offer advice on any queries you may have and arrange despatch of spare parts within 3-5 working days. Call us on **01684 853870**.

## WHAT TO DO IF SOMETHING GOES WRONG

Should the product not function correctly on initial use, firstly, contact the installer to check the installation is in accordance with your installation instructions. Should this not resolve difficulties or should performance decline, refer to the 'Troubleshooting' section within the installation guide. Alternatively, our customer service team can assist or if necessary, arrange for a service engineer to visit. Please call **01684 853870**, email **customerservice@lakesuk.com** or head to our website and complete our enquiry form: **[www.lakesuk.com/contact-us](http://www.lakesuk.com/contact-us)**

## RETURNS POLICY

Lakes will not accept return of any product no longer required that has been opened. We do not accept return of any product if the packaging has been damaged. If the product is unopened and not damaged, we will accept the return subject to agreed returns charges, but no longer than 3 months from date of original delivery.

As part of Lakes continuing policy of product improvement, we reserve the right to amend specifications, colours and prices and discontinue products without prior notice.

Images, room layouts and associated bathroom products are for marketing and visual purposes only. The colours and finishes shown in the catalogues are as accurate the printing process permits.

\*Errors and Omissions Exempt.

## LAKES GUARANTEE



Bath screens are covered by our Lifetime guarantee against manufacturing defect.

Guarantees are valid on condition that the products have been installed and maintained in accordance with the product's fitting instructions provided and used as intended. Damage or defects resulting from modification and or repair by unauthorised persons, improper use or are ex-display products are not covered. Lakes will resolve any defects resulting from manufacturing fault free of charge via repair or replacing parts, this must be only conducted by Lakes Bathrooms or an approved agent.

Parts that are subject to wear and tear during day-to-day usage e.g. seals are under guarantee for 12 months from date of purchase.

Please retain your proof of purchase to validate your guarantee. If your product becomes defective call us on **01684 853870** or email: **customerservice@lakesuk.com**

## ALLCLEAR®

Lakes Glass has been developed to ensure a crystal clear, smear-free, showering space. Our glass includes AllClear®, nano-bonded coating treatment, which is applied to both sides of the glass, meaning water, limescale and soap scum slide off the glass rather than sticking to it.

It stays clear and clean and comes as standard at no extra cost. Lakes Glass with AllClear® is 10 times more scratch resistant than standard glass, so it can handle whatever life throws at it.

## INSTALLATION

Prior to installing your Lakes product, please read the installation guide in full. Failure to do so may invalidate your guarantee.

Shower trays must be plumbed and level, walls should be tiled or paneled down to the tray and sealed before doors are fitted. Check tray height before installation as there are manufacturing tolerances that must be allowed for.

When considering a new bath screen and bath installation, or adding a bath screen to an existing bathtub, the following checks must be made:

The bath rim should be essentially flat in form where the screen is located.

Baths with integrated soap dishes, 'roll top' bath style design and uneven bath rim types are not compatible with bath screens, and may cause water leaks.

Any bath handle grips included with a bath should not interfere with bath rim/bath screen.

When choosing your bath screen, check that any moving panel(s) whether inward or outward opening will not interfere with brassware, furniture or accessories in operation (taps/shower heads, basins, WCs, radiators etc).

It is recommended that the shower head position is centrally fitted on the same wall as the bath screen.

Bath rims must angle down toward the bath area to ensure that water landing on the rim drains into the bath. It is essential to check across rims, including corners using a small spirit level or a small amount of water to assess fall direction. Bathtubs exhibiting outward fall are not compatible.

Baths must be fully supported with timber battens/support framing under the rim. Inadequate support can cause rim to drop/create outward fall.

---

## LAKES QUALITY GUARANTEED

We have created this product information section to assist with your purchase and to provide useful information once your Lakes shower enclosure is installed.

For further information please visit: [www.lakesuk.com](http://www.lakesuk.com)

All Lakes shower enclosures, shower trays & bath screens are manufactured to the highest standards according to ISO 9001: 2015 Quality Management System.

All Lakes shower enclosures & bath screens are UKCA (& CE) marked, tested & conform with BS EN14428:2015+A1:2018. All glass used in construction is thermally toughened & marked according to EN12150-1.

Lakes shower trays comply to BS EN14527:2006 Class 1/ BS EN15720:2009. Shower wastes are manufactured to BS EN 274-1: 2002





LAKES  
Alexandra Way, Ashchurch, Tewkesbury,  
Gloucestershire GL20 8NB  
T: 01684 853870  
[info@lakesuk.com](mailto:info@lakesuk.com)

SPECIFICATIONS CONTACTS:  
[projects@lakesuk.com](mailto:projects@lakesuk.com)

**[lakesuk.com](http://lakesuk.com)**

