



LAKES
SHOWERING SPACES

MODULAR WALK-IN

ADDITIONS

AUTUMN 2025

MODULAR WALK-IN ADDITIONS



PERSONALISE YOUR SHOWERING SPACE

Lakes Showering Spaces is one of the UK’s longest established showering brands with a strong history and pedigree, having been founded almost 40 years ago.

In that time Lakes has built up an award-winning reputation based on trust, quality and first-class customer service levels. Because we care.

Right down to the finest and often unseen details all Lakes shower doors are skilfully designed in the UK for the UK market and manufactured to the most stringent quality standards in our own factory.

At Lakes, we consider every element of the showering space, to make sure it suits the needs of the people using it, from the clarity

of the glass to the performance of the doors and even the reassuring feel of the tray under our feet.

Lake’s unrivalled Modular Walk-In Collection now includes even more opportunities to personalise your showering space.

In addition to 28 core showering space configurations, we have added innovations like full or vertical framed options, recessed wall and floor profiles

CONTENTS

Fully Framed	08
Accent Framed	12
Recessed Wall & Floor Profiles	16
Slim-Line Wall Profiles	20
Deflector Panels	24
Luxury Bath Screens	28
Stone Texture Shower Trays	34
Stone Resin Trays	38
Product Care	40
Lakes Guarantee	41







CARBON NEUTRAL & SUSTAINABLE

Lakes has taken steps to be certified Carbon Neutral by changing how we operate as a business. Naturally, we recycle all our product, site and office waste.

Our product packaging is 100% recyclable to offset the carbon emissions produced in the day-to-day running of our business by investing in environmental projects.

Lakes is proud to have been awarded the Carbon Footprint Standard and recognised as a Carbon Neutral Plus organisation.




We are proud members of the **Bathroom Association** and collaborate with many other fellow companies to focus on raising quality standards, improving safety and compliance and sustainability by reducing our environmental impact – all helping shape the future growth of our industry and showering product sector.



Loyal, regular customers as well as those buying a Lakes product for the first time agree our products are 'excellent'. Lakes rating published via **Trust Pilot** is Excellent.

ICONS



8MM
TOUGHENED
SAFETY GLASS

10MM
TOUGHENED
SAFETY GLASS

2000MM
HEIGHT

ALLCLEAR
GLASS
PROTECTION



WET ROOM
OR TRAY
OPTION

LIFETIME
GUARANTEE

RECESS

CORNER



REVERSIBLE
DESIGN

FLAT WALL

SLIP RESISTANT

LIFETIME GUARANTEE

Showers are important and integral elements of our lives. So, when it comes to buying or replacing a showering space, it helps to know your choice is supported by the highest quality assurance, customer service and technical support.

Lakes' genuine **Lifetime Guarantee** covers all our shower doors and enclosures and spare parts and is also fully transferable. So even if someone moves home, the new owner will still be covered for the lifetime of the product.

If you have a problem with any part of a Lakes product, we will sort it out. quickly. Our efficient customer service support means spare parts will most likely arrive the next day. Another reason why we're recommended by homeowners, stockists and installers across the UK.

For more information on the guarantee for shower trays please contact us directly.



LAKES ALLCLEAR®

The shower is often one of the most in-demand utilities in a busy household, which can make it hard to keep clean and looking good as new. **Lakes AllClear®** advanced glass coating is applied on both sides of the glass as standard and at no extra cost.

The science behind clear glass. The microscopic nanoparticles in the **Lakes AllClear®** innovative bonded coating fills the gaps in the naturally pitted surface of the glass to ensure water, limescale and soap scum simply slides off.

A simple wipe clean with a damp cloth of the specially treated glass keeps it looking like new, so your relaxing shower isn't spoiled by smears and smudges.

Lakes Glass with **AllClear®** is 10 times more scratch resistant than standard glass, so it can handle whatever life throws at it.


AllClear®

THE COLOUR IMPACT

The bathroom is one of the most used rooms in the home and the colour scheme accents can make all the difference to the user's happiness and aesthetic appeal of the bathroom.

Timeless silver/chrome, dramatic and bold black, subtle industrial brushed nickel and gun metal or the natural warmth of brushed brass or bronze will assist as you personalise the bathroom design.

Whichever colour – we are confident you'll achieve a great coordinating look with any number of branded brassware and accessory brands. All colours are produced to the most exacting production and quality standards, featuring super strong surfaces using anodising or PVD that are easy to clean, and are stain, UV, chemical and scratch resistant.



QUALITY

Outstanding quality, performance and safety throughout. Lakes also regularly test products above and beyond mandatory standards, allowing us to offer a Lifetime guarantee.

Made from toughened safety glass, conforming to BS EN12150-1 (which is etched onto each piece of glass). Every shower door and bathscreen are tested and comply with BS EN 14428:2015+A1:2018.

All shower trays pass the required quality and safety standards BS EN14527:2006 Class1/BS EN15720:2009, and our slip resistant trays achieve Class C DIN 51097.



WALK-IN PANEL DESIGN FULLY FRAMED



Create a stunning feature element to your bathroom by fully framing Lakes 8mm toughened safety glass with our elegant glass edge profiles.

Not only beautiful the framing offers ultimate safety and endurance in a busy bathroom, easy to clean and available in 6 colour finishes.



FULLY FRAMED



CONFIGURATIONS



- 1 x Glass Panel (G8-) ▶
- 1 x Full Framed Kit (F8) ✓
- 1 x Wall Profile (WPS or WPN) ✓
- 1 x Bracing Bar (BB1) ✓



- 1 x Glass Panel (G8-) ▶
- 2 x Full Framed Kits (F8) ✓
- 2 x Bracing Bars (BB1) ✓



- 2 x Glass Panels (G8-) ▶
- 2 x Full Framed Kits (F8) ✓
- 2 x Wall Profile (WPS or WPN) ✓
- 2 x Bracing Bar (BB1) ✓

KEY:

✓ add colour to code ▶ add size to code



8mm TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	Code	Price Incl. VAT £	
200mm Glass Panel	1981	G8-020	111.44	AllClear® coating on both sides of the glass panels. Sizes shown are nominal. **Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width. Lakes walk in panels can be fitted to tiled floors or most standard shower trays.
300mm Glass Panel	1981	G8-030	135.90	
400mm Glass Panel	1981	G8-040	159.29	
500mm Glass Panel	1981	G8-050	185.85	
600mm Glass Panel	1981	G8-060	212.08	
700mm Glass Panel **	1981	G8-070	226.73	
NEW 750mm Glass Panel**	1981	G8-075	226.73	
800mm Glass Panel**	1981	G8-080	250.59	
900mm Glass Panel**	1981	G8-090	274.94	
1000mm Glass Panel**	1981	G8-100	299.43	
1100mm Glass Panel**	1981	G8-110	323.21	
1200mm Glass Panel**	1981	G8-120	347.07	
1400mm Glass Panel**	1981	G8-140	405.47	

WALL PROFILES

Description	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
NEW Slimline Wall Profile 23mm depth	WPN*	60.86	62.03	68.23
10mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap.				
Standard Wall Profile 35mm depth	WPS*	67.62	68.92	75.81
20mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap. Wall profiles are sized to suit glass height				

FULLY FRAMED GLASS PROFILE KIT FOR 8mm GLASS

Description	Size mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
NEW Full Frame Wet Room Panel Frame Kit	H 2000 x W 1400	F8*	146.06	148.87	163.75
Kit includes 2 x horizontal and 1 x vertical glass profiles. Framed kit supplied at 1400mm width to cut down on site to suit walk in panel width. Complete with vertical profile cover cap. Silicone fit to glass.					

BRACING BAR (REQUIRED)

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Panel Bracing Bar	1200	BB1*	52.58	53.59	62.41
Supplied complete with glass clamp, wall bracket and T join for side panel installations. Bracing bars can be cut to size on site.					

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:
 Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES




SILVER (S)




BLACK (B)

COLOURS



BRUSHED
BRASS (BRS)



BRUSHED
NICKEL (N)



GUN METAL
(GUN)



BRUSHED
BRONZE (BRZ)

WALK-IN PANEL DESIGN

ACCENT FRAMED



Lakes Walk-In showers provide almost endless versatility.

If you are looking for a subtle signature design element for your showering space, then simply add one or two vertical glass edge profiles to the panel and see the difference. Not only an elegant design feature, adding a defined edge to the glass will assist those with visual impairment enjoy a safer showering experience.



ACCENT FRAMED



CONFIGURATIONS



- 2 x Glass Panels (G8-) ▶
- 2 x Vertical Framed Kits (FV8) ✓
- 2 x Wall Profile (WPS or WPN) ✓
- 2 x Bracing Bars (BB1) ✓

KEY:

✓ add colour to code ▶ add size to code



- 1 x Glass Panel (G8-) ▶
- 1 x Vertical Framed Kit (FV8) ✓
- 1 x Bracing Bar (BB1) ✓
- OR
- 1 x Angled Bracing Bar (AB) ✓
- OR
- 1 x Glass to Ceiling Bracing Bar (G2C) ✓
- 1 x Ceiling Bracket (2CB)



- 1 x Glass Panel (G8-) ▶
- 2 x Vertical Framed Kit (FV8) ✓
- 2 x Bracing Bar (BB1) ✓



8mm TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	Code	Price Incl. VAT £	
200mm Glass Panel	1981	G8-020	111.44	AllClear® coating on both sides of the glass panels. Sizes shown are nominal. **Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width. Lakes walk in panels can be fitted to tiled floors or most standard shower trays.
300mm Glass Panel	1981	G8-030	135.90	
400mm Glass Panel	1981	G8-040	159.29	
500mm Glass Panel	1981	G8-050	185.85	
600mm Glass Panel	1981	G8-060	212.08	
700mm Glass Panel **	1981	G8-070	226.73	
NEW 750mm Glass Panel**	1981	G8-075	226.73	
800mm Glass Panel**	1981	G8-080	250.59	
900mm Glass Panel**	1981	G8-090	274.94	
1000mm Glass Panel**	1981	G8-100	299.43	
1100mm Glass Panel**	1981	G8-110	323.21	
1200mm Glass Panel**	1981	G8-120	347.07	
1400mm Glass Panel**	1981	G8-140	405.47	

WALL PROFILES

Description	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
NEW Slimline Wall Profile 23mm depth	WPN*	60.86	62.03	68.23
10mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap.				
Standard Wall Profile 35mm depth	WPS*	67.62	68.92	75.81
20mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap. Wall profiles are sized to suit glass height				

VERTICAL FRAME PROFILE KIT FOR 8mm GLASS

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
NEW Full Wet Room Panel Framed Kit	H 2000 x W 1400	FV8*	81.14	82.70	90.97
Kit includes 1 x vertical glass profile and profile cover cap. Silicone fit to glass.					

BRACING BAR (OPTIONS)

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Panel Bracing Bar	1200	BB1*	52.58	53.59	62.41
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Bracing Bar	600	G2C*	57.67	58.78	73.08
Ceiling Bracket for G2C	-	2CB*	22.65	23.09	32.04

Angled bracing bar is supplied complete with glass clamp and wall bracket.
 Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°.
 Angled bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.
 Glass to ceiling bracing bar requires decorative ceiling cover 2CB.
 Glass to Ceiling Bracing Bar suitable for panels up to 1000mm wide and can be cut to length on site.

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:
 Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES




SILVER (S)




BLACK (B)

COLOURS



BRUSHED
BRASS (BRS)



BRUSHED
NICKEL (N)




GUN METAL
(GUN)



BRUSHED
BRONZE (BRZ)

WALK-IN PANEL DESIGN RECESSED PROFILE






Create the most minimalist walk-in panel showering space by using Lakes recessed wall and floor profiles.

Carefully designed to be incorporated into wall and/or floor tiling, providing truly robust walk-in panel stability with minimal visible profile actually "barely noticeable" in your chosen colour.

Vertical recessed profiles can be used with glass mounted on a tray surface. Horizontal/floor profile is only suitable for true Wetroom/tiled floor bases.



RECESSED WALL & FLOOR PROFILES



When using a recessed floor profile – deflector panels cannot be used



8 & 10mm TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Glass Panel	1981	G8-020	111.44	G10-020	124.81
300mm Glass Panel	1981	G8-030	135.90	G10-030	152.21
400mm Glass Panel	1981	G8-040	159.29	G10-040	178.41
500mm Glass Panel	1981	G8-050	185.85	G10-050	218.17
600mm Glass Panel	1981	G8-060	212.08	G10-060	250.36
700mm Glass Panel **	1981	G8-070	226.73	G10-070	268.82
NEW 750mm Glass Panel**	1981	G8-075	226.73	G10-075	268.82
800mm Glass Panel**	1981	G8-080	250.59	G10-080	301.77
900mm Glass Panel**	1981	G8-090	274.94	G10-090	238.74
1000mm Glass Panel**	1981	G8-100	299.43	G10-100	359.22
1100mm Glass Panel**	1981	G8-110	323.21	G10-110	388.88
1200mm Glass Panel**	1981	G8-120	347.07	G10-120	418.62
1400mm Glass Panel**	1981	G8-140	405.47	-	-

AllClear® coating on both sides of the glass panels.

Sizes shown are nominal.

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.

Lakes walk in panels can be fitted to tiled floors or most standard shower trays.

RECESSED WALL & FLOOR PROFILES

Description	Height mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
NEW Recessed U Profile 8mm Glass	2000	RW8*	60.86	62.03	68.23
NEW Recessed U Profile 10mm Glass	2000	RW10*	60.86	62.03	68.23

Zero in wall out of plumb vertical adjustment.

Glass is embedded into the recessed vertical profile, which reduces glass width by 20mm on stated widths.

When used as a floor profile in a tiled wet room, glass height will reduce by 10mm on stated height.

Designed for silicone fit glass to vertical or horizontal profile.

Hinged and fixed deflectors cannot be used when installing horizontal U recessed profiles.

BRACING BAR (OPTIONS)

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Panel Bracing Bar	1200	BB1*	52.58	53.59	62.41
Front/Side Panel Bracing Bar	1200	BB2*	56.75	57.84	64.00
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Bracing Bar	600	G2C*	57.67	58.78	73.08
Ceiling Bracket for G2C	-	2CB*	22.65	23.09	32.04

BB1 and BB2 supplied complete with glass clamp, wall bracket and T join for side panel installations. Bracing bars can be cut to size on site.

Angled bracing bar is supplied complete with glass clamp and wall bracket.

Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°.

Angled bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.

Glass to ceiling bracing bar requires decorative ceiling cover 2CB.

Glass to Ceiling Bracing Bar suitable for panels up to 1000mm wide and can be cut to height on site.

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:

Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES




SILVER (S)




BLACK (B)

COLOURS



BRUSHED
BRASS (BRS)



BRUSHED
NICKEL (N)




GUN METAL
(GUN)



BRUSHED
BRONZE (BRZ)

WALK-IN PANEL DESIGN SLIM-LINE WALL PROFILE



A slender wall profile providing elegant, good looks for those striving more a contemporary discreet walk-in panel design.



SLIM-LINE WALL PROFILE



8 & 10mm TOUGHENED SAFETY CLEAR GLASS PANELS

Description	Height mm	8mm Code	Price Incl. VAT £	10mm Code	Price Incl. VAT £
200mm Glass Panel	1981	G8-020	111.44	G10-020	124.81
300mm Glass Panel	1981	G8-030	135.90	G10-030	152.21
400mm Glass Panel	1981	G8-040	159.29	G10-040	178.41
500mm Glass Panel	1981	G8-050	185.85	G10-050	218.17
600mm Glass Panel	1981	G8-060	212.08	G10-060	250.36
700mm Glass Panel **	1981	G8-070	226.73	G10-070	268.82
NEW 750mm Glass Panel**	1981	G8-075	226.73	G10-075	268.82
800mm Glass Panel**	1981	G8-080	250.59	G10-080	301.77
900mm Glass Panel**	1981	G8-090	274.94	G10-090	238.74
1000mm Glass Panel**	1981	G8-100	299.43	G10-100	359.22
1100mm Glass Panel**	1981	G8-110	323.21	G10-110	388.88
1200mm Glass Panel**	1981	G8-120	347.07	G10-120	418.62
1400mm Glass Panel**	1981	G8-140	405.47	-	-

AllClear® coating on both sides of the glass panels.

Sizes shown are nominal.

**Widths indicated are undersized by 48mm to allow for tiling, wall profile (adjustment) and to ensure fit within shower base width.

Lakes walk in panels can be fitted to tiled floors or most standard shower trays.

WALL PROFILES

Description	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
NEW Slimline Wall Profile 23mm depth	WPN*	60.86	62.03	68.23

10mm adjustment, complete with 8 & 10mm push in glass gasket and profile cover cap.

Wall profiles are sized to suit glass height

BRACING BAR (OPTIONS)

Description	Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Front/Side Panel Bracing Bar	1200	BB1*	52.58	53.59	62.41
Front/Side Panel Bracing Bar	1200	BB2*	56.75	57.84	64.00
Angled Bracing Bar	600	AB*	85.86	87.51	98.28
Glass to Ceiling Bracing Bar	600	G2C*	57.67	58.78	73.08
Ceiling Bracket for G2C	-	2CB*	22.65	23.09	32.04

BB1 and BB2 supplied complete with glass clamp, wall bracket and T join for side panel installations. Bracing bars can be cut to size on site.

Angled bracing bar is supplied complete with glass clamp and wall bracket.

Angled bracing bar is nominally 45° x 600mm long. If space demands, it can be used between 30° & 60°.

Angled bracing bar suitable for panels up to 1000mm wide and can be cut to height on site.

Glass to ceiling bracing bar requires decorative ceiling cover 2CB.

Glass to Ceiling Bracing Bar suitable for panels up to 1000mm wide and can be cut to height on site.

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:

Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES




SILVER (S)




BLACK (B)

COLOURS



BRUSHED
BRASS (BRS)



BRUSHED
NICKEL (N)



GUN METAL
(GUN)



BRUSHED
BRONZE (BRZ)

WALK-IN PANEL DESIGN DEFLECTOR PANELS



To enrich your walk-in shower design and provide water overspray protection, choose from one of our sumptuous deflector panels options.

Truly personalise your showering space by selecting from our friction-free rotating panels to provide easy walk-in access or opting for the ultimate spa/hotel style fixed deflector panel with clear seals.



DEFLECTOR PANELS

For use with Slim-line Wall Profile



FULL HEIGHT ROTATING DEFLECTOR HINGE AND PANEL BY8-3* / BY10-3*

Sleek and elegant

Smooth friction-free 180° inward and 90° outward rotation

Complete with 300mm wide glass panel in 8 or 10mm glass

Use with BB1 bracing bar

Maximum protection from water overspray



HINGE TYPE DEFLECTOR PANEL PHL / PHR + PHG

Sleek minimalist on-glass hinge

Superb finish, luxury feel, heavy duty and perfect performance

180° inward only rotation and concealed fittings

Available left and right handed

Available with varying deflector panel widths with seal in 8mm (PHG8) and 10mm (PHG10)

Use with BB2 bracing bar



FIXED 90° DEFLECTOR PANEL G8 / G10 + CNR / CP

A simple yet practical 90° fixed glass deflector

200mm wide panel, 8 and 10mm glass

Can be fixed to the main panel using our corner post or corner bracket with ultra clear seal

Use with BB3 glass to wall bracing bar

An optional foot kit is available for installations where deflector glass is unsupported at base



OPTIONAL FOOTKIT FOR FIXED DEFLECTOR / FTK

Optional footkit can be used when fitting a new Modular Walk In on a shower tray with a recommended maximum depth of 60mm

Note: All PH code hinged Deflector Panels are handed please suffix codes with L or R. Image above shows right hand option.

180° MINIMAL STYLE HINGED DEFLECTOR FOR 8 & 10mm GLASS

Description	Height/Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Hinge Set Left Hand	-	PHL*	120.50	122.82	140.21
Hinge Set Right Hand	-	PHR*	120.50	122.82	140.21
Front/Side Panel Bracing Bar includes T joiner	1200	BB2*	56.75	57.84	64.00

Description	Height/Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
200mm Deflector Glass & Transparent Seal 8mm	2000	PHG8-020	111.44	-	-
300mm Deflector Glass & Transparent Seal 8mm	2000	PHG8-030	135.90	-	-
400mm Deflector Glass & Transparent Seal 8mm	2000	PHG8-040	159.29	-	-
200mm Deflector Glass & Transparent Seal 10mm	2000	PHG10-020	120.05	-	-
300mm Deflector Glass & Transparent Seal 10mm	2000	PHG10-030	148.92	-	-
400mm Deflector Glass & Transparent Seal 10mm	2000	PHG10-040	176.72	-	-

Clear toughened safety glass. Allclear® on both sides of the glass.

270° FULL HINGED DEFLECTOR FOR 8 & 10mm GLASS

Description	Height/Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Full Height Hinge Deflector Assembly 8mm	2000	BY8-3*	248.71	253.30	278.85
Full Height Hinge Deflector Assembly 10mm	2000	BY10-3*	259.82	264.82	291.31
Front/Side Panel Bracing Bar includes T joiner	1200	BB1*	52.58	53.59	62.41

Clear toughened safety glass. Allclear® on both sides of the glass.

FIXED DEFLECTOR FOR 8 & 10mm GLASS

Description	Height/Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
MINIMAL DESIGN					
Corner Bracket 8mm	-	CNR8*	37.08	37.79	46.39
Transparent Corner Seal 8mm	2000	CNR8SEAL	20.17	20.17	20.17
Corner Bracket 10mm	-	CNR10*	57.44	58.55	68.37
Transparent Corner Seal 10mm	2000	CNR10SEAL	20.33	20.33	20.33

CORNER POST STYLE

Corner Post 8mm	2000	CP8*	62.82	64.03	70.70
Corner Post 10mm	2000	CP10*	66.66	67.95	74.93
Optional Foot Kit (for Fixed Deflector)	-	FKT*	23.06	23.51	33.87

FIXED DEFLECTOR GLASS BRACING

Description	Height/Length mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Inline Bracing Bar	1200	BB3*	51.62	52.61	63.21

FIXED DEFLECTOR GLASS

Description	Height/Length mm	Code	Price Incl. VAT £
200mm Deflector Glass 8mm	1981	G8-020	111.44
300mm Deflector Glass 8mm	1981	G8-030	135.90
400mm Deflector Glass 8mm	1981	G8-040	159.29
200mm Deflector Glass 10mm	1981	G10-020	124.81
300mm Deflector Glass 10mm	1981	G10-030	152.21
400mm Deflector Glass 10mm	1981	G10-040	178.41

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option:
Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)



LUXURY BATH SCREENS



Where bathroom features a walk-in showering space and a bath requiring a bath screen to match, Lakes has the ideal solution. Carefully crafted and superbly engineered our hinged and fixed bath screen options are the perfect partner to your walk-in shower area.

Featuring the same visual design styling and of course available in our 6 wonderful finishes so rest assured colours will match.

Completely frameless introducing a contemporary uncluttered look for any bathroom project. We have

placed particular emphasis on blending great visual styling with outstanding performance.

Whichever colour you choose for your bathroom project the combination of a walk-in shower and bath screen over the bath sharing the same outstanding design, performance will make bath or showering time an absolute joy.



8mm TWIN PANEL HINGED

Where bathroom features a walk in showering space and a bath requiring a bath creen to match, or the only one showering possibility in your home and is over the bath Lakes has the ideal solution.

Super smooth hinged rotation and clear seals to keep the water in.

FEATURES:

Height 1500mm

8mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile and PVD hardware

10mm adjustment

Wall profile cover caps as standard

Lifetime warranty

Fully reversible

90° outward door rotation

6 colour finishes

Effortless installation



TWIN PANEL HINGED BATH SCREEN

NEW

Description	Height mm	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
Twin Panel Hinged Bath Screen	1500	1000	MWB*	595.00	666.40	702.10


Supplied complete with wall profile cover cap

Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option: Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S)



BLACK (B)

COLOURS



BRUSHED
BRASS (BRS)





BRUSHED
NICKEL (N)



GUN METAL
(GUN)



BRUSHED
BRONZE (BRZ)



Moving panel seals must be fitted as detailed left.



8mm FIXED SINGLE PANEL

The best designs are simple. Lakes 8mm fixed bath screens provide uncluttered and keep the shower water inside the bath.

FEATURES:

Height 1500mm

8mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile

10mm adjustment

Wall profile cover caps as standard

Lifetime warranty

Fully reversible

6 colour finishes

Effortless installation



FIXED SINGLE PANEL BATH SCREEN

	Description	Height mm	Width mm	Code	Price Incl. VAT £ SILVER	Price Incl. VAT £ BLACK	Price Incl. VAT £ COLOURS
NEW	Fixed Single Panel Bath Screen	1500	800	MWB90-080*	250.00	287.50	295.00
	Supplied complete with wall profile cover cap An optional wall to glass bracing bar can be ordered please see below. Bathscreens are a water deflector only.						
NEW	Optional Wall to Glass Bracing Bar MWB90-080*	-	-	MWBS-BA*	47.27	65.15	82.85

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option: Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S)



BLACK (B)

COLOURS



BRUSHED
BRASS (BRS)






BRUSHED
NICKEL (N)



GUN METAL
(GUN)



BRUSHED
BRONZE (BRZ)





STONE TEXTURE SHOWER TRAYS

Living Material, each shower tray is distinctive, with veins, faces and character that testify to its natural origin and Lake's skilful craftsmanship.

Lake's stone textured shower trays are not just there to be visually stunning they have been created to be felt, enjoyed and meet the demands of today's modern showering.

The surface inspired by natural stones and carefully designed to offer a unique sensory underfoot experience, soft, warm and above all slip resistant ... transforming your showering space.

The surface pattern form eliminates the risk of water puddling and meets the requirements of stringent slip resistant tests.

Timeless signal white or super matt finish anthracite either colour can transform the shower area and complement wall and floor themes.



FEATURES:

Produced from recycled Dolomite stone

72% Dolomite mineral and 28% resin

29mm slimline height

Fully recyclable

Exceptional resistance to wear and impact

Stain and chemical resistant

Integral anti-bacterial hygiene properties

90mm Ø waste

Can be trimmed on site

10-year guarantee

Easy cleaning

Thermal insulation properties

25% lighter than standard stone resin trays,
typically 36kg / m²

All trays comply to BS EN14527:2006 Class 1

Slip Resistant to Class 3 UNE ENV 12633:2003

Slip Resistant to Class 3 BS EN 16165 ANNEX C

Install on floor or level to floor

Suitable for marine ply boarded or concrete floors


Supplied with colour matched stainless steel
waste grate

10
YEARS



STONE TEXTURE SHOWER TRAYS

SQUARE TRAYS



Size w x l mm	Weight kgs	Waste Position mm	Code	Price Incl. VAT £ WHITE (W)*	Price Incl. VAT £ ANTHRACITE (A)*
900 x 900	29	450	PTS99	499.80	499.80

RECTANGULAR TRAYS



Size w x l mm	Weight kgs	Waste Position X mm	Code	Price Incl. VAT £ WHITE (W)*	Price Incl. VAT £ ANTHRACITE (A)*
700 x 1700	42	450	PTR177	719.95	719.95
800 x 1200	34	250	PTR128	562.70	562.70
800 x 1400	40	350	PTR148	625.60	625.60
800 x 1500	43	350	PTR158	661.30	661.30
800 x 1600	46	450	PTR168	706.35	706.35
800 x 1700	49	450	PTR178	775.20	775.20
900 x 1200	39	250	PTR129	631.55	631.55
900 x 1400	45	350	PTR149	687.65	687.65
900 x 1500	48	350	PTR159	841.50	841.50
900 x 1600	52	450	PTR169	912.05	912.05
900 x 1700	55	450	PTR179	941.80	941.80

A stainless steel grate colour matched to the tray is supplied as standard.

SHOWER TRAY WASTE



Description	Code	Price Incl. VAT £
90mm ø High Flow Waste	PTWASTE	35.00


Waste conforms to BS EN 274 and has 50mm water seal and removable debris trap.
Shower Waste G1 1/2". Flow Rate 30Ltrs p/m.

WASTE FINISH OPTIONS

* Please add the following codes to the end of product code when ordering a colour option:
White (W) or Anthracite (A). Example 1200 x 800 tray, White PTR128W, Anthracite PTR128A.



WHITE (W)



ANTHRACITE (A)


SHOWER TRAY WASTE POSITIONS

Measuring a space for a shower tray:


The tray waste positions below are provided as a guide only for first fix plumbing of the tray. Please take into consideration wall tiles or wall panels when specifying the tray size.

Dimensional tolerance +/-5mm wxl up to 1400; +/-7mm over 1400

SQUARE TRAYS



RECTANGULAR TRAYS



CLEANING & MAINTENANCE

Stone effect shower trays we recommend cleaning regularly with clean warm soapy water ONLY, rinse and wipe over with a soft cloth or sponge.

DO NOT USE abrasive, scouring, caustic or corrosive cleaning products.

To remove limescale deposits use a 50:50 solution of white vinegar and water. Rinse thoroughly after application.



STONE RESIN SHOWER TRAYS

Superbly engineered and produced in the UK to the most exacting standards, this shower tray boasts a modern, minimalist low-profile form with a truly comfortable standing area.

It offers exceptional water drainage and a fresh, uncomplicated look, specifically designed to be the perfect partner for the Lakes Modular Walk-in shower collection.

FEATURES:

Slender low height 25mm profile

Double skinned, crisp white acrylic ABS capped finish, for incredible strength and rigidity.

Super strong and rigid

50mm height on outer edge

60mm Ø waste outlet

30% lighter than standard resin trays

Super white finish

All trays comply to BS EN14527:2006 Class 1/BS EN15720:2009

Suitable for marine ply boarded or concrete floor

Can be fitted flat to floor or with easy fit riser kit options

Integral anti-bacterial hygiene properties

Stain and chemical resistant

60mm Ø waste sold separately

10-year manufacturer's guarantee

10
YEARS



SQUARE TRAY



Size w x l mm	Code	Price Incl. VAT £ WHITE
900 x 900	TL9SW	344.59


RECTANGULAR TRAYS




Size w x l mm	Code	Price Incl. VAT £ WHITE
800 x 1200	TL128RW	377.96
800 x 1400	TL148RW	564.02
800 x 1500	TL158RW	584.96
800 x 1600	TL168RW	602.56
800 x 1700	TL178RW	626.20
900 x 1200	TL129RW	396.58
900 x 1400	TL149RW	587.98
900 x 1500	TL159RW	608.87
900 x 1600	TL169RW	626.20
900 x 1700	TL179RW	649.79

A stainless steel grate colour matched to the tray is required, order separately, please see below.

SQUARE TRAYS



RECTANGULAR TRAYS



WASTE COVER

Description	Code	Price Incl. VAT £ WHITE
800mm Tray Waste Cover	TLW8W	102.18
900mm Tray Waste Cover	TLW9W	114.66

SHOWER TRAY WASTE



Description	Code	Price Incl. VAT £
50mm Ø High Flow Waste	TLW	19.62

Waste conforms to BS EN 274 and has 50mm water seal and removable debris trap.
Shower Waste G1 1/2". Flow Rate 29Ltrs p/m.
Higher/pumped water pressure showers/deluge shower heads can result in water flow that exceeds the wastes flow capacity. Please check with your installer.

PRODUCT CARE

Caring for your shower door walk in panels, bath screen and shower tray

To maintain your guarantee, we recommend cleaning as below:

- Glass: Only use a soft cloth and mild detergent, rinse off thoroughly after cleaning.
- Metal and metallic surfaces: Use only a soft cloth and warm soapy water. Rinse off thoroughly.
- In hard water areas, regular cleaning of your Lakes product will help to prevent the build-up of limescale.
- Limescale can be removed using a 50:50 solution of white vinegar and water.
- Check your shower door for functionality periodically.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product.
- Do NOT use cleaning products, bleaches, solvents or abrasive pads.
- Non-compliance with these cleaning instructions will invalidate the products guarantee and may cause plated / painted / anodised surfaces/finishes to deteriorate and could adversely affect safe operation of the enclosure.



AFTER SALES COMMITMENT

At Lakes we are passionately devoted to providing the very best customer service. Lakes excellent customer service is supported by an extensive stock of spare parts across all ranges..

Call our dedicated customer service team on **01684 853870** who will deal with your enquiry and will swiftly dispatch your spares order. Alternatively email **customerservice@lakesuk.com** or head to our website and complete our enquiry form **www.lakesuk.com/contact-us**

SPARE PARTS

We have a team of technical experts who can deal with and offer advice on any queries you may have and arrange despatch of spare parts within 3-5 working days. Call us on **01684 853870**.

WHAT TO DO IF SOMETHING GOES WRONG

Should the product not function correctly on initial use, firstly, contact the installer to check the installation is in accordance with your installation instructions. Should this not resolve difficulties or should performance decline, refer to the 'Troubleshooting' section within the installation guide. Alternatively, our customer service team can assist or if necessary, arrange for a service engineer to visit. Please call **01684 853870**, email **customerservice@lakesuk.com** or head to our website and complete our enquiry form: **www.lakesuk.com/contact-us**

RETURNS POLICY

Lakes will not accept return of any product no longer required that has been opened. We do not accept return of any product if the packaging has been damaged. If the product is unopened and not damaged, we will accept the return subject to agreed returns charges, but no longer than 3 months from date of original delivery.

As part of Lakes continuing policy of product improvement, we reserve the right to amend specifications, colours and prices and discontinue products without prior notice.

Images, room layouts and associated bathroom products are for marketing and visual purposes only. The colours and finishes shown in the catalogues are as accurate the printing process permits.

*Errors and Omissions Exempt.

LAKES GUARANTEE



Walk in panels and are covered by our **Lifetime guarantee** against manufacturing defect.



Shower trays and wastes are covered by a **10-year guarantee** against manufacturing defect.

Both guarantees are valid on condition that the products have been installed and maintained in accordance with the product's fitting instructions provided and used as intended. Damage or defects resulting from modification and or repair by unauthorised persons, improper use or are ex-display products are not covered. Lakes will resolve any defects resulting from manufacturing fault free of charge via repair or replacing parts, this must be only conducted by Lakes Bathrooms or an approved agent.

Parts that are subject to wear and tear during day-to-day usage e.g. seals are under guarantee for 12 months from date of purchase.

Please retain your proof of purchase to validate your guarantee. If your product becomes defective call us on **01684 853870** or email: **customerservice@lakesuk.com**

ALLCLEAR®

Lakes Glass has been developed to ensure a crystal clear, smear-free, showering space. Our glass includes AllClear®, nano-bonded coating treatment, which is applied to both sides of the glass, meaning water, limescale and soap scum slide off the glass rather than sticking to it. It stays clear and clean and comes as standard at no extra cost. Lakes Glass with AllClear® is 10 times more scratch resistant than standard glass, so it can handle whatever life throws at it.

INSTALLATION

Prior to installing your Lakes product, please read the installation guide in full. Failure to do so may invalidate your guarantee.

Shower trays must be plumbed and level, walls should be tiled or paneled down to the tray and sealed before doors are fitted. Check tray height before installation as there are manufacturing tolerances that must be allowed for.

When considering a new bath screen and bath installation, or adding a bath screen to an existing bathtub, the following checks must be made:

The bath rim should be essentially flat in form where the screen is located.

Baths with integrated soap dishes, 'roll top' bath style design and uneven bath rim types are not compatible with bath screens, and may cause water leaks.

Any bath handle grips included with a bath should not interfere with bath rim/bath screen.

When choosing your bath screen, check that any moving panel(s) whether inward or outward opening will not interfere with brassware, furniture or accessories in operation (taps/shower heads, basins, WCs, radiators etc).

It is recommended that the shower head position is centrally fitted on the same wall as the bath screen.

Bath rims must angle down toward the bath area to ensure that water landing on the rim drains into the bath. It is essential to check across rims, including corners using a small spirit level or a small amount of water to assess fall direction. Bathtubs exhibiting outward fall are not compatible.

Baths must be fully supported with timber battens/support framing under the rim. Inadequate support can cause rim to drop/create outward fall.

LAKES QUALITY GUARANTEED

We have created this product information section to assist with your purchase and to provide useful information once your Lakes shower enclosure is installed.

For further information please visit: **www.lakesuk.com**

All Lakes shower enclosures, shower trays & bath screens are manufactured to the highest standards according to ISO 9001: 2015 Quality Management System.

All Lakes shower enclosures & bath screens are UKCA (& CE) marked, tested & conform with BS EN14428:2015+A1:2018. All glass used in construction is thermally toughened & marked according to EN12150-1.

Lakes shower trays comply to BS EN14527:2006 Class 1/ BS EN15720:2009. Shower wastes are manufactured to BS EN 274-1: 2002



NOTES



LAKES
Alexandra Way, Ashchurch, Tewkesbury,
Gloucestershire GL20 8NB
T: 01684 853870
info@lakesuk.com

SPECIFICATIONS CONTACTS:
projects@lakesuk.com

lakesuk.com

