



Lakes 8+[®]

A NEW COLLECTION TO

REDEFINE

SHOWERING SPACES



THE ELEVATED SHOWERING EXPERIENCE

Created to celebrate 40 years of Lakes defining showering spaces, this re-imagined collection elevates the everyday into something extraordinary.

Every detail and day to day shower enclosure space use has been meticulously considered, blending timeless elegance with innovative technology to deliver an 'Elevated Showering Experience'.

At its heart lies our patented door operation mechanisms offering flawlessly controlled movement and performance. Each glide is quiet, impeccably smooth, and exquisitely composed, transforming functionality into a moment of luxury.

Our confidence in the quality of our products is absolute — which is why every door and component part is protected by a genuine Lifetime Guarantee.

Our glass is complete with AllClear® protective coating on both sides of the glass so retains its crystal brilliance while ensuring effortless maintenance — preserving its pristine beauty for years to come.

Thoughtfully considered details elevate the showering experience — from the sculptural, ergonomically designed handle to the discreet quick-release system that allows effortless cleaning without compromising aesthetics.


Every Lakes shower door is expertly designed, precision-engineered to above required industry standards. From the brilliance and clarity of the glass to the seamless glide of the doors, every element is curated to deliver a truly elevated experience.

At the forefront of refining the showering experience, we are proud to offer not only the finest products but our deep commitment to sustainability, responsible manufacturing, and the wellbeing and development of our people.

As we celebrate our milestone 40th anniversary, we continue to set new standards in bathroom design — unveiling refined, forward-thinking solutions that transform daily rituals into moments of pure indulgence.



SOFT-CLOSE SLIDING SHOWER DOOR	04
SELF-CLOSE INFOLD SHOWER DOOR	12



OPPOSITE LEFT
Sliding Shower Door
1400 With Side Panel
Gun Metal

OPPOSITE RIGHT
Infold Door 900
Brushed Nickel

TOP RIGHT
Patented Self-closing Infold
Mechanism -
Sliding Shower Door 1200
Brushed Bronze

LEFT
Infold Door With Side Panel
Brushed Bronze

Introducing a masterclass in innovation and advanced design. Featuring advanced & patented soft-close technology on both opening and closing, it redefines what effortless luxury truly feels like.

Engineered with absolute precision and styled with timeless elegance, delivering a glide so smooth and controlled it transforms a simple movement into a moment of quiet sophistication. Its patented mechanism sets a new benchmark in showering excellence.

Designed for seamless integration, the ultra-low threshold creates a beautifully minimalist style whilst offering outstanding entry and exit accessibility. Form and function exist in perfect harmony.

Thoughtfully considered details elevate the showering experience — from the sculptural, ergonomically designed handle to the discreet quick-release system that allows effortless cleaning without compromising aesthetics.

SLIDING SHOWER DOOR

OPPOSITE

Sliding Shower Door 1200
Brushed Brass





OPPOSITE
Sliding Shower Door 1400
and 8mm MWB Bathscreen
Gun Metal



■ ■ | **SOFT-CLOSE** SLIDING SHOWER DOOR



1700mm Sliding Shower Door
Gun Metal



Beautiful minimal profile styling, super smooth and quiet soft opening and closing.

Rising to an impressive 2000mm height, each enclosure is crafted from 8mm precision-toughened safety glass, delivering striking presence, structural integrity and crystal clarity that ensures a flawless fit

A perfect blend of the highest quality build and performance.



EACH SHOWER DOOR IS EXPERTLY DESIGNED AND
PRECISION-ENGINEERED WHERE EXACTING STANDARDS
AND MASTER CRAFTSMANSHIP ENSURE FLAWLESS
PERFORMANCE.



Widths: 1200 | 1400 | 1700

Height: 2000

8mm toughened safety glass

Integrated soft-close technology

Slimline design

Low-profile, step in and out doorway

Perfect in a recess or corner

Distinctive handle



SOFT-CLOSE

Integrated soft-close technology for smooth, controlled opening & closing

QUALITY

8mm toughened safety glass

INSTALLATION

Shower tray or tiled floor





OPPOSITE
Sliding Shower Door
1400 with Side Panel and
8mm MWB Bathscreen
Brushed Nickel



■ ■ ■ | **SOFT-CLOSE** SLIDING SHOWER DOOR



Sliding Door 1700mm with side panel
Gun Metal

Designed to create a superb corner showering space.

Elegant aesthetics, easy entry and exit, frameless side panel and the smoothest sliding door movement.

A rare, exhilarating, and differentiated shower door



SOFT-CLOSE SLIDING SHOWER DOOR

FEATURES

8mm toughened safety glass to BS EN 12150

Manufactured in accordance with BS EN 14428:2015 + A1:2018

AllClear® protective coating applied to both sides of glass

Lifetime Guarantee

20mm adjustment on each side for a precise installation

Fully reversible design providing flexibility

Fully recyclable and plastic free packaging

Designed for either a shower tray or tiled floor




SOFT-CLOSE SLIDING SHOWER DOOR IN A RECESS

Sliding Door Width (nominal)	Sliding Door Height (nominal)	Adjustment	Doorway	Adjustment with Side Panel
1200	2000	1150 - 1190	484 - 504	1160 - 1180
1400	2000	1350 - 1390	584 - 604	1360 - 1380
1700	2000	1650 - 1690	634 - 654	1660 - 1680

Optional Extension Profile

Width 20mm 2000

For weight / handling reasons, 1400mm & 1700mm supplied in 2 cartons



SILVER



BRUSHED BRASS



BRUSHED NICKEL



GUN METAL



BRUSHED BRONZE

FINISH OPTIONS

Sliding Door Width (nominal)	Silver Code	Brushed Brass Code	Brushed Nickel Code	Gun Metal Code	Brushed Bronze Code
1200	LDXS120S	LDXS120BRS	LDXS120N	LDXS120GUN	LDXS120BRZ
1400	LDXS140S	LDXS140BRS	LDXS140N	LDXS140GUN	LDXS140BRZ
1700	LDXS170S	LDXS170BRS	LDXS170N	LDXS170GUN	LDXS170BRZ

Optional Extension Profile

Width 20mm LDXEPS

LDXEPBRS

LDXEPN

LDXEPGUN

LDXEPBRZ



SILVER



BRUSHED BRASS



BRUSHED NICKEL



GUN METAL



BRUSHED BRONZE






All dimensions in mm

SOFT-CLOSE SLIDING SHOWER DOOR IN A CORNER

Side Panel Width (nominal)	Side Panel Height (nominal)	Adjustment
800	2000	770 - 780
900	2000	870 - 880

Optional Extension Profile	
Width 20mm	2000



FINISH OPTIONS

Side Panel Width (nominal)	Silver Code	Brushed Brass Code	Brushed Nickel Code	Gun Metal Code	Brushed Bronze Code
800	LDXSP080S	LDXSP080BRS	LDXSP080N	LDXSP080GUN	LDXSP080BRZ
900	LDXSP090S	LDXSP090BRS	LDXSP090N	LDXSP090GUN	LDXSP090BRZ

Optional Extension Profile					
Width 20mm	LXSPEPS	LXSPEBRS	LXSPEPN	LXSPEGUN	LXSPEBRZ



SILVER



BRUSHED BRASS



BRUSHED NICKEL



GUN METAL



BRUSHED BRONZE



All dimensions in mm

Welcome to the next evolution of first class showering - a self-closing infold enclosure. Designed to elevate the most sophisticated bathroom interiors, this exceptional shower door unites advanced engineering with understated elegance.

Every element has been meticulously considered to deliver both visual purity and uncompromising performance.

Flowing, contemporary profile styling presenting a perfect, minimalist aesthetic while enhancing accessibility and practicality.

The intelligent, patented infold system maximises door entry width and with graceful efficiency saves space outside of the enclosure, creating a more fluid and luxurious showering environment than traditional hinged or pivot designs.

INFOLD SHOWER DOOR

OPPOSITE

Infold Shower Door 1000 and
8mm MWB Bathscreen
Brushed Bronze





OPPOSITE
Infold Shower Door 1400mm
and 8mm MWB Bathscreen
Brushed Nickel





Infold Shower Door 1000mm
Gun Metal



Infold Shower Door 900mm
Brushed Nickel


The ultimate space saving shower door, yet affording wide and comfortable access.

Defined by architectural precision, the Lakes infold door features slimline profiles and discreetly concealed wall fixings, allowing the design to flow uninterrupted within the space. The result is a clean, harmonious finish that complements the most elegant bathroom spaces.

Effortless opening and closing thanks to the patented self closing system



MORE THAN JUST A SHOWER DOOR. IT IS THE
EMBODIMENT OF MODERN LUXURY, PRECISION
CRAFTSMANSHIP AND FORWARD-THINKING DESIGN.



Widths: 800 | 900 | 1000

Height: 2000

8mm toughened safety glass

Patented self-close technology

Elegant, visual purity

Space saving

Perfect in a recess or corner

Distinctive handle



OPPOSITE

Infold Shower Door
900 with Side Panel
Silver

SELF-CLOSE

Integrated soft-close technology for smooth, controlled opening & closing

QUALITY

8mm toughened safety glass

HANDLE

Refined ergonomic handle designed for comfort & control

INSTALLATION

Shower tray or tiled floor





OPPOSITE
Infold Shower Door
900 with Side Panel
Silver



■ ■ ■ | **SELF-CLOSE INFOLD SHOWER DOOR**



Infold Shower Door 900mm
with Side Panel
Gun Metal



Beyond its striking presence lies its defining innovation: integrated self-closing technology. Each movement is smooth, controlled and whisper-quiet — transforming a functional necessity into a moment of indulgence.

The signature sculpted handle, not only elegant but expertly designed for comfortable use and even hanging a towel!



SELF-CLOSE INFOLD SHOWER DOOR

FEATURES


8mm toughened safety glass to BS EN 12150
Manufactured in accordance with BS EN 14428:2015 + A1:2018
AllClear® protective coating applied to both sides of glass
Lifetime Guarantee

15mm adjustment on each side for a precise installation
Fully reversible design providing flexibility
Fully recyclable and plastic free packaging
Designed for either a shower tray or tiled floor

SELF-CLOSE INFOLD SHOWER DOOR IN A RECESS

Infold Door Width (nominal)	Infold Door Height (nominal)	Adjustment	Doorway	Adjustment with Side Panel	Intrusion	Protrusion
800	2000	760 - 790	544	760 - 775	386	293
900	2000	860 - 890	646	860 - 875	437	343
1000	2000	960 - 990	756	960 - 975	487	393

Optional Extension Profile	
Width 20mm	2000




FINISH OPTIONS

Infold Door Width (nominal)	Silver Code	Black Code	Brushed Brass Code	Brushed Nickel Code	Gun Metal Code	Brushed Bronze Code
800	LNXI080S	LNXI080B	LNXI080BRS	LNXI080N	LNXI080GUN	LNXI080BRZ
900	LNXI090S	LNXI090B	LNXI090BRS	LNXI090N	LNXI090GUN	LNXI090BRZ
1000	LNXI100S	LNXI100B	LNXI100BRS	LNXI100N	LNXI100GUN	LNXI100BRZ

Optional Extension Profile	
Width 20mm	LNXEPS LNXEPB LNXEPBRS LNXEPN LNXEPGUN LNXEPBRZ



All dimensions in mm






The door will close by itself from 20°

SELF-CLOSE INFOLD SHOWER DOOR IN A CORNER

Side Panel Width (nominal)	Side Panel Height (nominal)	Adjustment
800	2000	760 - 775
900	2000	860 - 875
1000	2000	960 - 975

Optional Extension Profile

Width 20mm	2000
------------	------



SILVER

BLACK

BRUSHED BRASS

BRUSHED NICKEL

GUN METAL

BRUSHED BRONZE

FINISH OPTIONS

Side Panel Width (nominal)	Silver Code	Black Code	Brushed Brass Code	Brushed Nickel Code	Gun Metal Code	Brushed Bronze Code
800	LNXP080S	LNXP080B	LNXP080BRS	LNXP080N	LNXP080GUN	LNXP080BRZ
900	LNXP090S	LNXP090B	LNXP090BRS	LNXP090N	LNXP090GUN	LNXP090BRZ
1000	LNXP100S	LNXP100B	LNXP100BRS	LNXP100N	LNXP100GUN	LNXP100BRZ

Optional Extension Profile

Width 20mm	LXSPEPS	LXSPEBRS	LXSPEPN	LXSPEPGUN	LXSPEPBRZ
------------	---------	----------	---------	-----------	-----------



SILVER



BLACK



BRUSHED BRASS



BRUSHED NICKEL



GUN METAL



BRUSHED BRONZE



All dimensions in mm



STONE TEXTURE SHOWER TRAYS

Each of Lakes' stone textured shower trays are stunning and distinctive, with veins and character that pay tribute to natural materials and showcase Lakes' skilled craftsmanship. Not just aesthetically pleasing, they are created to be felt and enjoyed, while meeting the high demands of a modern showering space.

The surface is designed to offer a unique sensory underfoot experience - soft, warm and slip resistant – while the surface pattern eliminates the risk of water puddling.

Choose from timeless signal white or super matt finish anthracite to transform the shower area and complement wall and floor themes of any design.



FEATURES:

Produced from recycled Dolomite stone

72% Dolomite mineral and 28% resin

29mm slimline height

Fully recyclable

Exceptional resistance to wear and impact

Stain and chemical resistant

Integral anti-bacterial hygiene properties

90mm Ø waste

10-year guarantee

Easy cleaning

Thermal insulation properties

25% lighter than standard stone resin trays,
typically 36kg / m²

All trays comply to BS EN14527:2006 Class 1

Slip Resistant to Class 3 UNE ENV 12633:2003

Slip Resistant to Class 3 BS EN 16165 ANNEX C

Install on floor or level to floor

Suitable for marine ply boarded or concrete floors

Supplied with colour matched stainless steel
waste grate

10
YEARS



STONE TEXTURE SHOWER TRAYS

SQUARE TRAYS



Size W x L mm	Weight kgs	Waste Position mm	Code	Price Incl. VAT £ WHITE (W)*	Price Incl. VAT £ ANTHRACITE (A)*
900 x 900	29	450	PTS99*	499.80	499.80

RECTANGULAR TRAYS



Size W x L mm	Weight kgs	Waste Position X mm	Code	Price Incl. VAT £ WHITE (W)*	Price Incl. VAT £ ANTHRACITE (A)*
700 x 1700	42	450	PTR177*	719.95	719.95
800 x 1200	34	250	PTR128*	562.70	562.70
800 x 1400	40	350	PTR148*	625.60	625.60
800 x 1500	43	350	PTR158*	661.30	661.30
800 x 1600	46	450	PTR168*	706.35	706.35
800 x 1700	49	450	PTR178*	775.20	775.20
900 x 1200	39	250	PTR129*	631.55	631.55
900 x 1400	45	350	PTR149*	687.65	687.65
900 x 1500	48	350	PTR159*	841.50	841.50
900 x 1600	52	450	PTR169*	912.05	912.05
900 x 1700	55	450	PTR179*	941.80	941.80

A stainless steel grate colour matched to the tray is supplied as standard.

SHOWER TRAY WASTE



Description	Code	Price Incl. VAT £
90mm ø High Flow Waste	PTWASTE	35.00

Waste conforms to BS EN 274 and has 50mm water seal and removable debris trap. Shower Waste G1 1/2". Flow Rate 30Ltrs p/m.

TRAY FINISH OPTIONS

* Please add the following codes to the end of product code when ordering a colour option: White (W) or Anthracite (A). Example 1200 x 800 tray, White PTR128W, Anthracite PTR128A.



WHITE (W)



ANTHRACITE (A)


SHOWER TRAY WASTE POSITIONS

Measuring a space for a shower tray:


The tray waste positions below are provided as a guide only for first fix plumbing of the tray. Please take into consideration wall tiles or wall panels when specifying the tray size.

Dimensional tolerance +/-5mm W x L up to 1400; +/-7mm over 1400

SQUARE TRAYS



RECTANGULAR TRAYS



CLEANING & MAINTENANCE

We recommend cleaning stone effect shower trays regularly with clean warm soapy water ONLY, rinse and wipe over with a soft cloth or sponge.

DO NOT USE abrasive, scouring, caustic or corrosive cleaning products.

To remove limescale deposits use a 50:50 solution of white vinegar and water. Rinse thoroughly after application.



LUXURY BATH SCREENS



Where a bathroom features a shower enclosure and bath requiring a bath screen to match, Lakes has the ideal solution. Carefully crafted and superbly engineered our hinged and fixed bath screen options are the perfect partner.

Our bath screens feature the same stunning styling and are available in our 6 wonderful finishes to ensure colours are the same.

Completely frameless to introduce a contemporary uncluttered look for any bathroom project, we have placed particular emphasis on blending great visual styling with outstanding performance.



8mm TWIN PANEL HINGED

Where your bathroom includes a bath that requires screen to match, or the only one showering possibility in your home and is over a bath Lakes has the ideal solution.

Super smooth hinged rotation and clear seals to keep the water in.

FEATURES:

Height 1500mm

8mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile and PVD hardware

10mm adjustment

Wall profile cover caps as standard

Lifetime warranty

Fully reversible

90° outward door rotation

6 colour finishes

Effortless installation



TWIN PANEL HINGED BATH SCREEN


Description	Height mm	Width mm	Code
Twin Panel Hinged Bath Screen	1500	1000	MWB*

Supplied complete with wall profile cover cap
Bathscreens are a water deflector only, and should be fitted to the inside of a bath rim to assist performance.

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option: Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S)



BLACK (B)

COLOURS



BRUSHED
BRASS (BRS)





BRUSHED
NICKEL (N)



GUN METAL
(GUN)



BRUSHED
BRONZE (BRZ)



Moving panel seals must be fitted as detailed left.



8mm FIXED SINGLE PANEL

The best designs are simple. Lakes' 8mm fixed bath screens provide uncluttered and keep the shower water inside the bath.

FEATURES:

Height 1500mm

8mm Safety Toughened Glass EN12150-1

UKCA and EN Approved to BS EN 14428:2015+A1:2018

Frameless

AllClear® easy clean glass both sides

Anodised profile

10mm adjustment

Wall profile cover caps as standard

Lifetime warranty

Fully reversible

6 colour finishes

Effortless installation



FIXED SINGLE PANEL BATH SCREEN

Description	Height mm	Width mm	Code
Fixed Single Panel Bath Screen	1500	800	MWB90-080*
Supplied complete with wall profile cover cap An optional wall to glass bracing bar can be ordered please see below. Bathscreens are a water deflector only.			
Optional Wall to Glass Bracing Bar MWB90-080*	-	-	MWBS-BA*

FINISH OPTIONS

* Please add the following codes to the product code when ordering a colour option: Silver (S), Black (B), Brushed Brass (BRS), Brushed Nickel (N), Gun Metal (GUN), Brushed Bronze (BRZ)

MONOCHROMES



SILVER (S)




BLACK (B)

COLOURS

BRUSHED
BRASS (BRS)BRUSHED
NICKEL (N)GUN METAL
(GUN)BRUSHED
BRONZE (BRZ)

SILVER (S)



BLACK (B)



BRUSHED BRASS (BRS)



BRUSHED NICKEL (N)



GUN METAL (GUN)



BRUSHED BRONZE (BRZ)

PRODUCT CARE

To maintain your guarantee, we recommend cleaning as below:

- Glass: Only use a soft cloth and mild detergent, rinse off thoroughly after cleaning.
- Metal and metallic surfaces: Use only a soft cloth and warm soapy water. Rinse off thoroughly.
- In hard water areas, regular cleaning of your Lakes product will help to prevent the build-up of limescale.
- Limescale can be removed using a 50:50 solution of white vinegar and water.
- Check your shower door for functionality periodically.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product.
- Do NOT use cleaning products, bleaches, solvents or abrasive pads.
- Non-compliance with these cleaning instructions will invalidate the product's Lifetime Guarantee and may cause plated / painted / anodised surfaces/finishes to deteriorate and could adversely affect safe operation of the enclosure.



AFTER SALES COMMITMENT

At Lakes we are passionate about providing the very best customer service. Lakes' excellent customer service is supported by an extensive stock of spare parts across all ranges.

Call our dedicated customer service team on **01684 853870** who will deal with your enquiry and will swiftly dispatch your spares order. Alternatively email **customerservice@lakesuk.com** or head to our website and complete our enquiry form **www.lakesuk.com/contact-us**

SPARE PARTS

We have a team of technical experts who can deal with and offer advice on any queries you may have and arrange dispatch of spare parts within 3-5 working days. Call us on **01684 853870**.

WHAT TO DO IF SOMETHING GOES WRONG

Should the product not function correctly on initial use, firstly, contact the installer to check the installation is in accordance with your installation instructions. Should this not resolve difficulties or should performance decline, refer to the 'Troubleshooting' section within the installation guide.

Alternatively, our customer service team can assist or, if necessary, arrange for a service engineer to visit. Please call **01684 853870**, email **customerservice@lakesuk.com** or head to our website and complete our enquiry form: **www.lakesuk.com/contact-us**

RETURNS POLICY

Lakes' will not accept return of any product no longer required that has been opened. We do not accept return of any product if the packaging has been damaged. If the product is unopened and not damaged, we will accept the return subject to agreed returns charges, but no longer than 3 months from date of original delivery.

As part of Lakes continuing policy of product improvement, we reserve the right to amend specifications, colours and prices and discontinue products without prior notice.

Images, room layouts and associated bathroom products are for marketing and visual purposes only. The colours and finishes shown in the catalogues are as accurate the printing process permits.

*Errors and Omissions Exempt.

LAKES GUARANTEE



Shower enclosures are covered by our **Lifetime guarantee** against manufacturing defect.



Shower trays are covered by a **10-year guarantee** against manufacturing defect.

Both guarantees are valid on condition that the products have been installed and maintained in accordance with the product's fitting instructions provided and used as intended. Damage or defects resulting from modification and or repair by unauthorised persons, improper use or ex-display products are not covered. Lakes will resolve any defects resulting from manufacturing fault free of charge via repair or replacing parts. This must be only conducted by Lakes Bathrooms or an approved agent.

Please retain your proof of purchase to validate your guarantee. If your product becomes defective call us on **01684 853870** or email: **customerservice@lakesuk.com**

ALLCLEAR®

Lakes Glass has been developed to ensure a crystal clear, smear-free, showering space. Our glass includes AllClear®, nano-bonded coating treatment, which is applied to both sides of the glass, meaning water, limescale and soap scum slide off the glass rather than sticking to it.

It stays clear and clean and comes as standard at no extra cost. Lakes Glass with AllClear® is 10 times more scratch resistant than standard glass, so it can handle whatever life throws at it.

INSTALLATION

Prior to installing your Lakes product, please read the installation guide in full. Failure to do so may invalidate your guarantee.

Shower trays must be plumbed and level, walls should be tiled or paneled down to the tray and sealed before doors are fitted. Check tray height before installation as there are manufacturing tolerances that must be allowed for.

When considering a new bath screen and bath installation, or adding a bath screen to an existing bathtub, the following checks must be made:

The bath rim should be essentially flat in form where the screen is located.

Baths with integrated soap dishes, 'roll top' bath style design and uneven bath rim types are not compatible with bath screens, and may cause water leaks.

Any bath handle grips included with a bath should not interfere with bath rim/bath screen.

When choosing your bath screen, check that any moving panel(s) whether inward or outward opening will not interfere with brassware, furniture or accessories in operation (taps/shower heads, basins, WCs, radiators etc).

It is recommended that the shower head position is centrally fitted on the same wall as the bath screen.

Bath rims must angle down toward the bath area to ensure that water landing on the rim drains into the bath. It is essential to check across rims, including corners using a small spirit level or a small amount of water to assess fall direction. Bathtubs exhibiting outward fall are not compatible.

Baths must be fully supported with timber battens/support framing under the rim. Inadequate support can cause rim to drop/create outward fall.

LAKES QUALITY GUARANTEED

We have created this product information section to assist with your purchase and to provide useful information once your Lakes shower enclosure is installed.

For further information please visit: **www.lakesuk.com**

All Lakes shower enclosures, shower trays & bath screens are manufactured to the highest standards according to ISO 9001: 2015 Quality Management System.

All Lakes shower enclosures & bath screens are UKCA (& CE) marked, tested & conform with BS EN14428:2015+A1:2018. All glass used in construction is thermally toughened & marked according to EN12150-1.

Lakes regularly tests above and beyond required standards to ensure the ultimate product quality and performance.

Lakes shower trays comply to BS EN14527:2006 Class 1/ BS EN15720:2009. Shower wastes are manufactured to BS EN 274-1: 2002





LAKES

Alexandra Way, Ashchurch, Tewkesbury,
Gloucestershire GL20 8NB

T: 01684 853870

info@lakesuk.com

SPECIFICATIONS CONTACTS:

projects@lakesuk.com

lakesuk.com

Certified



Corporation